	Hits	Search Text	DBs
1	69	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	65	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2	((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	((375/368 or 375/365 or 375/362 or 375/354 or 375/334).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT;
5	2	"6522665".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		((375/368 or 375/365 or 375/362 or	
		375/354).ccls.) and ((pulse adj	
		generator) and demodulator and	USPAT; EPO; JPO
6	2	((synchronization or sync or	DERWENT;
U	3	synch) adj (pattern)) and clock	IBM_TDB
		and control and (memor\$5 or	EDIAI_IDB
		stor\$5) and (@rlad < "19991029"	
		or @ad<"19991029"))	
		((375/368 or 375/365 or 375/362 or	
		375/354).ccls.) and ((pulse adj	·
		generator) and demodulator and	USPAT; EPO; JPO;
7	3	((synchronization or sync or	DERWENT;
		synch) adj (pattern)) and clock	IBM_TDB
		and control and (memor\$5 or	
		stor\$5) and (@ad<"19991029"))	
	32	((pulse adj generator) and	
		demodulator and	USPAT; EPO; JPO;
8		((synchronization or sync or	DERWENT;
	52	synch) adj (pattern)) and clock	IBM_TDB
		and control and (memor\$5 or	
		stor\$5) and (@ad<"19991029"))	
		(((pulse adj generator) and	
		demodulator and	•
		((synchronization or sync or	
		synch) adj (pattern)) and clock	
		and control and (memor\$5 or	
		stor\$5) and (@ad<"19991029")))	USPAT; EPO; JPO;
9	29	not (((375/368 or 375/365 or	DERWENT;
		375/362 or 375/354).ccls.) and	IBM_TDB
		((pulse adj generator) and	
		demodulator and	
		((synchronization or sync or synch) and clock	
		synch) adj (pattern)) and clock	•
		and control and (memor\$5 or stor\$5) and (@ad<"19991029")))	
		stor\$5) and (@ad<"19991029")))	

	Hits	Search Text	DBs
10	9	((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029")))) and burst	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	4	((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029")))) and burst and (wireless or radio)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	4	((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029")))) and burst and (wireless or radio)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	and receiv\$5 jp-57121385-\$.did.	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	36	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and (memor\$5 or stor\$5) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	4	(((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and (memor\$5 or stor\$5) and (@ad<"19991029"))) not (((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@ad<"19991029")))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
···		(sync\$10 adj pattern\$2) and	
		(clock\$5 adj generator\$5) and	USPAT; EPO; JPO;
16	106	(memor\$5 or stor\$5 or buffer\$5)	DERWENT;
		and demod\$10 and receiv\$5 and	IBM_TDB
		@ad<"19991029"	
		(sync\$10 adj pattern\$2) and (clock\$5 adj generator\$5) and	LICDAT, EDO. IDO.
17	36	(memor\$5 or stor\$5 or buffer\$5)	USPAT; EPO; JPO; DERWENT;
• •	30	and demod\$10 and receiv\$5 and	IBM_TDB
		burst and @ad<"19991029"	IDM_IDD
) —— · · —· ·		((sync\$10 adj pattern\$2) and	
		(clock\$5 adj generator\$5) and	USPAT; EPO; JPO;
18	87	(memor\$5 or stor\$5 or buffer\$5)	DERWENT;
		and demod\$10 and receiv\$5 and	IBM_TDB
		@ad<"19991029") not odn	
	40	(((sync\$10 adj pattern\$2) and	
		(clock\$5 adj generator\$5) and	USPAT; EPO; JPO;
19		(memor\$5 or stor\$5 or buffer\$5)	DERWENT;
		and demod\$10 and receiv\$5 and	IBM_TDB
		@ad<"19991029") not odn) and	
		(wireless or rf or radio)	
20	2620	(demodulat\$5 and receiv\$5 and	DERWENT
		sync\$10)	
21	894	(demodulat\$5 and receiv\$5 and	DERWENT
		sync\$10) and digital	
		u14a07c.emcd. and (demodulat\$5	
22	0	and receiv\$5 and sync\$10) and	DERWENT
		digital	
23	0	u14a07c.emcd. and (demodulat\$5	DERWENT
		and receiv\$5) and digital	
24	0	u14a07c.emcd. and demodulat\$5	DERWENT
		and receiv\$5 and digital	
25	0	u14a07c.emcd. and receiv\$5 and	DERWENT
		digital	
26	0	u14a07c.emcd. and digital	DERWENT

	Hits	Search Text	DBs
27	0	u14-a07c.emcd. and (demodulat\$5 and receiv\$5 and sync\$10) and digital	DERWENT
28	1070	W03-A06A.emcd. or W03- A06C.emcd.	DERWENT
29	3681	W03-A06A.emcd. or W03- A06C.emcd. or U14-A07C.emcd.	DERWENT
30	11	(W03-A06A.emcd. or W03-A06C.emcd.) and (demodulat\$5 and receiv\$5 and sync\$10) and digital	DERWENT
31	2	"5859671".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	"6445423".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	(W03-A06A.emcd. or W03-A06C.emcd.) and (nonreception\$5 or non-reception\$5)	DERWENT
34	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception\$5 or non-reception\$5 nonreceiv\$5 or non-receiv\$5)	DERWENT

	Hits	Search Text	DBs
35	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception\$5 or non-receiv\$5 or non-receiv\$5)	DERWENT
36	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception\$5 or non-receiv\$5 or non-receiv\$5 or unreceiv\$5)	DERWENT
37	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception\$5 or non-receiv\$5 or non-receiv\$5 or unreceiv\$5 or ((no adj data) with time))	DERWENT
38	5	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception\$5 or non-reception\$5 or non-receiv\$5 or non-receiv\$5 or unreceiv\$5 or ((no adj data) with (time or clock or period)))	DERWENT
39	1	"5764584".pn.	DERWENT
40	1	"5764584".pn.	USPAT
41	2	"6556250".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	0	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (emit\$5 with (pulse\$5 or signal\$5) with disappear\$5) and digital and demod\$10	DERWENT
43	0	(emit\$5 with (pulse\$5 or signal\$5) with disappear\$5) and digital and demod\$10	DERWENT
44	1	((pulse\$5 or signal\$5) with disappear\$5) and digital and demod\$10	DERWENT
45	955	((pulse\$5 or signal\$5) with disappear\$5)	DERWENT
46	74	((pulse\$5 or signal\$5) with disappear\$5) and digital	DERWENT
4 7	14	((pulse\$5 or signal\$5) with disappear\$5) and digital and sync\$10	DERWENT
48	0	((pulse\$5 or signal\$5) with disappear\$5) and digital and sync\$10 and demod\$10	DERWENT
49	13	((pulse\$5 or signal\$5) with (disappear\$5 or los\$5 or stop\$2)) and digital and sync\$10 and demod\$10 and receiv\$5	DERWENT
50	24	((pulse\$5 or signal\$5) with (disappear\$5 or los\$5 or stop\$2)) and digital and sync\$10 and demod\$10	DERWENT

	Hits	Search Text	DBs
51	24	(DE-3541031-\$ or DE-3601576-\$ or EP-251007-\$ or US-20040022546-\$ or DE-3501811-\$ or EP-142187-\$ or SU-1478379-\$ or EP-394493-\$ or EP-398824-\$ or SU-1674243-\$ or SU-1803976-\$ or EP-554056-\$	DERWENT
52	21	139757-\$).did. (DE-3541031-\$ or DE-3601576-\$ or EP-251007-\$ or US-20040022546-\$ or DE-3501811-\$ or EP-142187-\$ or SU-1478379-\$ or EP-394493-\$ or EP-398824-\$ or SU-1674243-\$ or SU-1803976-\$ or EP-554056-\$ or JP-05304617-\$ or EP-580482-\$ or GB-2271230-\$ or US-5477199-\$ or DE-19733732-\$ or WO-9944327-\$ or WO-200027111-\$ or SU-618782-\$ or SU-898498-\$ or DE-3140532-\$ or DE-3228539-\$ or EP-139757-\$).did. and	DERWENT
		(@ad<"19991029")	

· · · · ·	Hits	Search Text	DBs
53	27	(DE-3541031-\$ or DE-3601576-\$ or EP-251007-\$ or US-20040022546-\$ or DE-3501811-\$ or EP-142187-\$ or SU-1478379-\$ or EP-394493-\$ or EP-398824-\$ or SU-1674243-\$	US-PGPUB; USPAT; EPO; JPO; DERWENT;
		\$ or WO-200027111-\$ or SU-618782-\$ or SU-898498-\$ or DE-3140532-\$ or DE-3228539-\$ or EP-139757-\$).did. and (@ad<"19991029")	
54	6	Or JP-0530461/-5 or EP-580482-5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
55	3	"6710814".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	5	("4967272" "5574509"	USPAT

	Hits	Search Text	DBs
57	4	"5402446".pn. or "4837854".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	15	"5402446".URPN.	USPAT
59	8	("4521918" "4743864" "4860321" "4955075" "4977613" "5031231" "5103464" "5175884").PN.	USPAT
60	2	"5402446".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	33	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor\$5 or stor\$5) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	9	((pulse adj generator) and demodulator and (((synchronization or sync or synch) adj (pattern)) with demod\$10) and clock and control and (memor\$5 or stor\$5) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	138	((((synchronization or sync or synch) adj (pattern)) with demod\$10) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	138	((((synchronization or sync or synch) adj (pattern)) with demod\$10) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
65	41	((((synchronization or sync or synch) adj (pattern)) near2 demod\$10) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	72	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and (@rlad < "19991029" or @ad<"19991029"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	3	((375/368 or 375/365 or 375/362 or 375/354 or 375/334).ccls.) and (pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	3	((375/368 or 375/365 or 375/362 or 375/354 or 375/334).ccls.) and (pseudo\$1random\$7 near2 demodulat\$7) and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	S67 and S68	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	64	(pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	58	(pseudo\$1random\$7 near2 demodulat\$7) and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
72	0	S70 and S71	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	9	((375/368, 375/365, 375/362,	USPAT; EPO; JPO; DERWENT; IBM_TDB
		375/354, 375/334, 375/224,	
		375/225, 375/226, 375/316,	
		375/367, 370/503, 370/508,	
		370/509, 370/510, 370/511,	
		370/512, 370/513, 370/514,	
		370/507, 370/498, 370/464).ccls.)	
		and (pseudo\$1random\$7 near2	
		demodulat\$7) and	
		@ad<"19991029"	